

selt⁺
sun
protection
systems



**Fabrics
Slat Colours
Construction Colours**



AWNING FABRICS



Above pictograms apply to acrylic fabrics.

ACRYLIC FABRICS

WATERPROOF FABRICS

Technical data shown below are average values of the current production Die angegebenen technischen Daten sind Durchschnittswerte der laufenden Produktion Les données techniques ci-dessous sont des valeurs moyennes de la production courante	ACRYLIC	
Fabric Gewebe Tissu		Acrylic 100%, solution dyed Acryl 100%, spinndüsengefärbt Acrylique, 100% teint masse
Finishing Ausrüstung Traitement		Teflon - Cleangard
Weight Gewicht Poids total	DIN EN 12127	~ 300 g/m ²
Width Warenbreite Laize		120 cm
Colour fastness Farbechtheit Solidité des coloris	DIN EN ISO 105-B02	7-8 / 8
Oil repellency Ölabweisung Oléofugation	EN ISO 14419	4-5
Water repellency Wasserabweisung Résistance au mouillage superficiel	EN ISO 4920	100
Water column Wassersäule Colonne d'eau	EN 20 811	~ 330 mm
Tensile strength (daN/5 cm) Höchstzugkraft (daN/5 cm) Résistance à la rupture (daN/5 cm)	DIN EN ISO 13934-1	~ 140 / 95
Tear resistance (daN) Weft/Warp Weiterreißkraft (daN) Schuss/Kette Résistance à la déchirure (daN) Trame/Chaîne	EN ISO 13937-2	2.3 / 4

Acrylic fabrics guarantee the highest quality of the product, providing thermal comfort and protection against UV radiation. Made 100% out of acrylic fibre, dyed in chemical solution, provide excellent protection against colour loss. UV resistance coefficient is 7-8 at 8° scale. Impregnation with use of TEFLON® or SCOTCHGARD™ agents provides an excellent protective barrier and strengthens water-repellent qualities of the fabric, also preventing dirt adhering. Resistance to leaking: 330 mm water column. The advantage of acrylic fabric is also high resistance to tensile and tear.

Technical data shown below are average values of the current production Die angegebenen technischen Daten sind Durchschnittswerte der laufenden Produktion Les données techniques ci-dessous sont des valeurs moyennes de la production courante	ACRYLIC WATERPROOF	
Fabric Gewebe Tissu		Acrylic 100%, solution dyed Acryl 100%, spinndüsengefärbt Acrylique 100% teint masse
Finishing Ausrüstung Traitement		Teflon - Cleangard
Weight Gewicht Poids total	DIN EN 12127	~ 330 g/m ²
Width Warenbreite Laize		120 cm
Colour fastness Farbechtheit Solidité des coloris	DIN EN ISO 105-B02	7-8 / 8
Oil repellency Ölabweisung Oléofugation	EN ISO 14419	4-5
Water repellency Wasserabweisung Résistance au mouillage superficiel	EN ISO 4920	100
Water column Wassersäule Colonne d'eau	EN 20 811	~ 1000 mm
Tensile strength (daN/5 cm) Höchstzugkraft (daN/5 cm) Résistance à la rupture (daN/5 cm)	DIN EN ISO 13934-1	~ 140 / 95
Tear resistance (daN) Weft/Warp Weiterreißkraft (daN) Schuss/Kette Résistance à la déchirure (daN) Trame/Chaîne	EN ISO 13937-2	3 / 4

Waterproof acrylic fabrics are characterized by increased resistance to leaking - about 1000 mm water column. Weave structure together with modern impregnation technology provides high air permeability even on hot days. Oeko-Tex® guarantees that offered acrylic fabrics, subjected to special impregnation for water resistance, are not toxic.

SOLID

ACRYLIC FABRICS

BLANCO




2042 UV: 97% ГТот: 18%

TANDEM BLANCO




8442 UV: 40% ГТот: 18%

NATURAL




2929 UV: 97% ГТот: 18%

MARFIL



2143 UV: 97% ГТот: 16%

SIROCO




2226 UV: 98% ГТот: 12%

VANILLA




2687 UV: 97% ГТот: 17%

AMBER BEIGE




0814 UV: 99% ГТот: 15.66%

BEIGE




2038 UV: 99% ГТот: 11%

INTEGRAL




2838 UV: 99% ГТот: 8%

BERNA



2041 UV: 97% ГТот: 16%

MULTICO FLAME




7131 UV: 90% ГТот: 17%

NUAGES FLAME




6319 UV: 90% ГТот: 16%

AVENA




2296 UV: 98% ГТот: 11%

LIN MELANGE




8904 UV: 95% ГТот: 11%

TWEED BROWN




0403 UV: 99% ГТот: 6.82%

MINERAL




2831 UV: 99% ГТот: 7%

VISION




2250 UV: 99% ГТот: 7%

CHAUME PIGUE




U235 UV: 100% ГТот: 9%

CAFE



2316 UV: 99% ГТот: 5%

MARBLE




0923 UV: 99% Gtot: 12.8%

TWEED LATTE



7926 UV: 98% Gtot: 15%

SNOWFLAKE




3463 UV: 95% Gtot: 22%

TWEED ARGENT




0794 UV: 98% Gtot: 19%

DARK LINEN




6727 UV: 98% Gtot: 18%

SILVER WHITE




0364 UV: 99% Gtot: 7.67%

SILVER MELANGE



0028 UV: 99% Gtot: 7.36%

TANDEM PIEDRA



8445 UV: 80% Gtot: 7%

IRON



0937 UV: 99% Gtot: 6.57%

TWEED ROCK




7151 UV: 98% Gtot: 11%

SILVER




2821 UV: 97% Gtot: 13%

SILVER GREY




U190 UV: 90% Gtot: 15%

ZIP GREY



1597 UV: 98% Gtot: 13%

ZINC



2802 UV: 99% Gtot: 11%

PIERTA BEIGE




9415 UV: 98% Gtot: 8%

PERLA




2979 UV: 97% Gtot: 8%

ASH




0638 UV: 99% Gtot: 5.05%

ANTRACITA




8488 UV: 99% Gtot: 6%

TANDEM GRAFITO




8446 UV: 80% Gtot: 6%

EBONY TWEED



7324 UV: 98% Gtot: 10%

NEGRO



2170 UV: 99% Gtot: 5%

GRAPHITE ZIP




1524 UV: 98% Gtot: 12%

BASALT




8203 UV: 100% Gtot: 5%

FLANELLE




U104 UV: 100% Gtot: 5%

CHARCOAL TWEED




0402 UV: 99% Gtot: 5%

STITCH ANDESITE




0512 UV: 98% Gtot: 8%

STITCH CALCITE



0505 UV: 98% Gtot: 9%

STITCH RUBY



0507 UV: 98% Gtot: 9%

WHITE LINEN




8615 UV: 95% Gtot: 18%

PLATINUM




0715 UV: 90% Gtot: 12%

BREEZE




2777 UV: 99% Gtot: 6%

MARINE




2145 UV: 99% Gtot: 5%

AZUL




2018 UV: 99% Gtot: 7%

ORANGE




2050 UV: 99% Gtot: 13%

BRIGHT RED




2211 UV: 99% Gtot: 10%

PIMENT FIGUE




U412 UV: 100% Gtot: 10%

RIOJA




2210 UV: 99% Gtot: 8%

CARMIN FIGUE



U411 UV: 100% Gtot: 10%

GRANATE




2101 UV: 99% Gtot: 6%

SWITCH ROGUE




U390 UV: 100% Gtot: 8%

MARSEILLE FLAME




8854 UV: 100% Gtot: 11%

AMARILLO




2013 UV: 99% Gtot: 15%

TWEED SENAPE




0034 UV: 99% Gtot: 6.3%

CURRY




U105 UV: 100% Gtot: 12%

OCRE




2180 UV: 99% Gtot: 13%

POTIRON PIGUE




U413 UV: 100% Gtot: 10%

JADE




0396 UV: 99% Gtot: 8.12%

MELEZE PIGUE




U417 UV: 100% Gtot: 8%

VERDE BOTELLA



2245 UV: 99% Gtot: 6%

SWITCH EMPIRE



U393 UV: 100% Gtot: 8%

WATERPROOF


ACRYLIC FABRICS

BLANCO




8268 UV: 97% Gtot: 18%

MARFIL



8272 UV: 97% Gtot: 16%

AMARILLO




8265 UV: 99% Gtot: 15%

COCO



2047 UV: 99% Gtot: 9%

GRIS




8271 UV: 99% Gtot: 7%

ANTRACITA




2796 UV: 99% Gtot: 6%

TWEED NEGRO



2085 UV: 99% Gtot: 6%

NEGRO




8275 UV: 99% Gtot: 5%

ORCHESTRA


ACRYLIC FABRICS

NAPLES LINEN



D307 UV: 95% G_{TOT}: 13% RAPPOR: 20 cm

NAPLES HEATHER



D305 UV: 90% G_{TOT}: 11% RAPPOR: 20 cm

NAPLES LIGHT GREY




D304 UV: 90% G_{TOT}: 11% RAPPOR: 20 cm

NAPLES STONE




D113 UV: 95% G_{TOT}: 7% RAPPOR: 20 cm

PENCIL BEIGE




D324 UV: 95% G_{TOT}: 14% RAPPOR: 30 cm

PENCIL YELLOW



D323 UV: 95% G_{TOT}: 13% RAPPOR: 30 cm

PENCIL GREY



D320 UV: 95% G_{TOT}: 14% RAPPOR: 30 cm

PENCIL DARK GREY



D319 UV: 100% G_{TOT}: 8% RAPPOR: 30 cm

WIDE CHINA YELLOW




D300 UV: 95% G_{TOT}: 13% RAPPOR: 60 cm

WIDE CHINA BEIGE



D301 UV: 95% G_{TOT}: 12% RAPPOR: 60 cm

WIDE CHINA GREEN




D299 UV: 95% G_{TOT}: 10% RAPPOR: 60 cm

URBAN


ACRYLIC FABRICS

CANDLELIGHT



0990 UV: 99% G_{TOT}: 9.6% RAPPOR: 6 cm

LANTERN



0991 UV: 99% G_{TOT}: 14.2% RAPPOR: 6 cm

CONCRETE



0993 UV: 99% G_{TOT}: 10.8% RAPPOR: 6 cm

TIMBER




0992 UV: 99% G_{TOT}: 9.6% RAPPOR: 6 cm

LANDSCAPE MINI


ACRYLIC FABRICS

CLAY




4627 UV: 99% Gтот: 11.3% RAPPORТ: 2 cm

SAND




4620 UV: 99% Gтот: 11.4% RAPPORТ: 2 cm

GRAVEL



4621 UV: 99% Gтот: 8.1% RAPPORТ: 2 cm

LAVA



4623 UV: 99% Gтот: 8.3% RAPPORТ: 2 cm

LANDSCAPE


ACRYLIC FABRICS

ROSOPSIDA



4657 UV: 99% Gтот: 14.96% RAPPORТ: 24 cm

GOBI



4658 UV: 99% Gтот: 11.32% RAPPORТ: 24 cm

BEACH



4662 UV: 99% Gтот: 16.37% RAPPORТ: 24 cm

SAHARA DUST



4639 UV: 99% Gтот: 10.18% RAPPORТ: 24 cm

CLIFFS



4643 UV: 99% Gтот: 6.78% RAPPORТ: 24 cm

LADAKH



4655 UV: 99% Gтот: 5.91% RAPPORТ: 24 cm

FJORD




4644 UV: 99% Gтот: 7.8% RAPPORТ: 24 cm

NAMIB



4640 UV: 99% Gтот: 5.04% RAPPORТ: 24 cm

VULCANO




4665 UV: 99% Gтот: 5% RAPPORТ: 24 cm

CLASSICAL

ACRYLIC FABRICS

CLASSICAL GRIS



2103 UV: 97% G_{TOT}: 16% RAPPOR: 20 cm

CLASSICAL AMARILLO




2015 UV: 97% G_{TOT}: 15% RAPPOR: 20 cm

CLASSICAL MOSSY TWEED




9878 UV: 98% G_{TOT}: 15% RAPPOR: 20 cm

CLASSICAL STONE TWEED




0597 UV: 98% G_{TOT}: 12% RAPPOR: 20 cm

CLASSICAL BEIGE



2275 UV: 98% G_{TOT}: 14% RAPPOR: 20 cm

CLASSICAL MARRON BEIGE




2148 UV: 99% G_{TOT}: 9% RAPPOR: 20 cm

FANTASY


ACRYLIC FABRICS

MILANO




3868 UV: 95% G_{TOT}: 22% RAPPOR: 30 cm

CALGARY




6712 UV: 95% G_{TOT}: 16% RAPPOR: 30 cm

SUNRISE




0180 UV: 99% G_{TOT}: 14.73% RAPPOR: 30 cm

PALERMO




3605 UV: 90% G_{TOT}: 21% RAPPOR: 17 cm

ARGENTINA




2016 UV: 98% G_{TOT}: 15% RAPPOR: 30 cm

TARANTO




3672 UV: 95% G_{TOT}: 21% RAPPOR: 24 cm

CANBERRA




0452 UV: 98.75% G_{TOT}: 15.51% RAPPOR: 24 cm

DAKAR




2080 UV: 98% G_{TOT}: 15% RAPPOR: 40 cm

LISBONNE NATURE



8224 UV: 95% G_{TOT}: 13% RAPPORT: 30 cm

SALERNO




3861 UV: 90% G_{TOT}: 20% RAPPORT: 30 cm

MARTE



2121 UV: 99% G_{TOT}: 11% RAPPORT: 24 cm

BOLOGNA




3427 UV: 90% G_{TOT}: 22% RAPPORT: 20 cm

ALBERTA




5106 UV: 98% G_{TOT}: 15% RAPPORT: 30 cm

MANCHESTER




2823 UV: 98% G_{TOT}: 8% RAPPORT: 24 cm

JAMAICA



2701 UV: 98% G_{TOT}: 14% RAPPORT: 30 cm

BRISBANE




0186 UV: 98.1% G_{TOT}: 10.26% RAPPORT: 24 cm

SUNBURY



6106 UV: 98% G_{TOT}: 10% RAPPORT: 30 cm

HARDELLOT NATURE




8935 UV: 95% G_{TOT}: 14% RAPPORT: 30 cm

EDMONTON




6711 UV: 98% G_{TOT}: 13% RAPPORT: 30 cm

OSLO FIRE




7351 UV: 95% G_{TOT}: 14% RAPPORT: 30 cm

SIENNE NATURE




D100 UV: 95% G_{TOT}: 14% RAPPORT: 30 cm

TEXAS




2238 UV: 98% G_{TOT}: 13% RAPPORT: 30 cm

WINTONE




0734 UV: 97.5% G_{TOT}: 12.39% RAPPORT: 24 cm

FOGGIA




3864 UV: 95% G_{TOT}: 18% RAPPORT: 30 cm

PERU




2201 UV: 98% G_{TOT}: 14% RAPPORT: 30 cm

ANDRIA




3881 UV: 95% G_{TOT}: 18% RAPPORT: 30 cm

BROKEN HILL




0497 UV: 95% G_{TOT}: 16% RAPPORT: 30 cm

NEW YORK




2174 UV: 98% G_{TOT}: 14% RAPPORT: 30 cm

METROPOLITAN



3608 UV: 99% G_{TOT}: 7% RAPPORT: 30 cm

GLADSTONE



0493 UV: 99% G_{TOT}: 7.78% RAPPORT: 24 cm

ANCONA




3746 UV: 90% G_{TOT}: 19% RAPPORT: 24 cm

SIENNE STONE




8931 UV: 95% G_{TOT}: 13% RAPPORT: 30 cm

PLUTON



2179 UV: 99% G_{TOT}: 10% RAPPORT: 24 cm

RAVENNA




3882 UV: 95% G_{TOT}: 19% RAPPORT: 30 cm

FIRENZE



3889 UV: 90% G_{TOT}: 20% RAPPORT: 30 cm

MELBOURNE




0054 UV: 99% G_{TOT}: 11.74% RAPPORT: 24 cm

ORLANDO



2191 UV: 98% G_{TOT}: 11% RAPPORT: 30 cm

CANADA



2061 UV: 99% G_{TOT}: 8% RAPPORT: 30 cm


PADOVA



3875 UV: 95% G_{TOT}: 17% RAPPORT: 30 cm

FABRIC RAPPORT

ACRYLIC FABRICS



24 cm | 24 cm | 24 cm | 24 cm | 24 cm | 24 cm | 24 cm | 24 cm | 24 cm | 24 cm

Multiply repeated pattern of fabric, expressed in cm and given in the chart.

SELT

COMPANY

All specifications, design and color of products are up to date at time of forwarding this catalogue to print. The manufacturer reserves the right to make changes without prior notice. Due to the printing process any color reproductions are for illustration purposes only, their deviation from the actual color cannot constitute grounds for complaint. Folder reproduction in whole or in part is forbidden without the written permission of SELT.

selt.com