

AWNING FABRICS



100%
ACRYLIC



Above pictograms apply to acrylic fabrics.

ACRYLIC FABRICS

<p>Technical data shown below are average values of the current production</p> <p>Die angegebenen technischen Daten sind Durchschnittswerte der laufenden Produktion</p> <p>Les données techniques ci-dessous sont des valeurs moyennes de la production courante</p>	ACRYLIC	
Fabric Gewebe Tissu		Acrylic 100%, solution dyed Acryl 100%, spinndüsengefärbt Acrylique, 100% teint masse
Finishing Ausrüstung Traitement		Teflon - Cleangard
Weight Gewicht Poids total	DIN EN 12127	~ 300 g/m ²
Width Warenbreite Laize	DIN EN 1773	120 cm
Colour fastness Farbechtheit Solidité des coloris	DIN EN ISO 105-B02	7-8 / 8
Light fastness	DIN EN ISO 105-B04	7-8/8
Oil repellency Ölabweisung Oléofugation	EN ISO 14419	4-5
Water repellency Wasserabweisung Résistance au mouillage superficiel	EN ISO 4920	100
Water column Wassersäule Colonne d'eau	EN 20 811	~ 330 mm
Tensile strength (daN/5 cm) Höchstzugkraft (daN/5 cm) Résistance à la rupture (daN/5 cm)	DIN EN ISO 13934-1	~ 140 / 95
Tear resistance (daN) Weft/Warp Weiterreißkraft (daN) Schuss/Kette Résistance à la déchirure (daN) Trame/Chaîne	EN ISO 13937-2	2.3 / 4

Acrylic fabrics guarantee the highest quality of the product, providing thermal comfort and protection against UV radiation. Made 100% out of acrylic fibre, dyed in chemical solution, provide excellent protection against colour loss. UV resistance coefficient is 7-8 at 8° scale. Impregnation with use of TEFLON® or SCOTCHGARD™ agents provides an excellent protective barrier and strengthens water-repellent qualities of the fabric, also preventing dirt adhering. Resistance to leaking: 330 mm water column. The advantage of acrylic fabric is also high resistance to tensile and tear.

WATERPROOF FABRICS




<p>Technical data shown below are average values of the current production</p> <p>Die angegebenen technischen Daten sind Durchschnittswerte der laufenden Produktion</p> <p>Les données techniques ci-dessous sont des valeurs moyennes de la production courante</p>	ACRYLIC WATERPROOF	
Fabric Gewebe Tissu		Acrylic 100%, solution dyed Acryl 100%, spinndüsengefärbt Acrylique 100% teint masse
Finishing Ausrüstung Traitement		Teflon - Cleangard
Weight Gewicht Poids total	DIN EN 12127	~ 330 g/m ²
Width Warenbreite Laize	DIN EN 1773	120 cm
Colour fastness Farbechtheit Solidité des coloris	DIN EN ISO 105-B02	7-8 / 8
Light fastness	DIN EN ISO 105-B04	7-8/8
Oil repellency Ölabweisung Oléofugation	EN ISO 14419	4-5
Water repellency Wasserabweisung Résistance au mouillage superficiel	EN ISO 4920	100
Water column Wassersäule Colonne d'eau	EN 20 811	~ 1000 mm
Tensile strength (daN/5 cm) Höchstzugkraft (daN/5 cm) Résistance à la rupture (daN/5 cm)	DIN EN ISO 13934-1	~ 140 / 95
Tear resistance (daN) Weft/Warp Weiterreißkraft (daN) Schuss/Kette Résistance à la déchirure (daN) Trame/Chaîne	EN ISO 13937-2	3 / 4

Waterproof acrylic fabrics are characterized by increased resistance to leaking - about 1000 mm water column. Weave structure together with modern impregnation technology provides high air permeability even on hot days. Oeko-Tex® guarantees that offered acrylic fabrics, subjected to special impregnation for water resistance, are not toxic.

SOLID

ACRYLIC FABRICS

BLANCO




2042 UV: 97% G_{TOT}: 18%

TANDEM BLANCO




8442 UV: 40% G_{TOT}: 18%

NATURAL



2929 UV: 97% G_{TOT}: 18%

MARFIL



2143 UV: 97% G_{TOT}: 16%

SIROCO




2226 UV: 98% G_{TOT}: 12%

VANILLA




2687 UV: 97% G_{TOT}: 17%

AMBER BEIGE



0814 UV: 99% G_{TOT}: 15.66%

BEIGE



2038 UV: 99% G_{TOT}: 11%

INTEGRAL




2838

UV: 99%

GTOT: 8%

BERNA




2041

UV: 97%

GTOT: 16%

OLIVE GREEN




0007

UV: 97,5%

GTOT: 2%

GRAPHITE MELANGE




0107

UV: 97,5%

GTOT: 2%

ALABASTER



0151

UV: 97,5%

GTOT: 13%

LAGOON



1063

UV: 98%

GTOT: 8%

MARMOL




1070

UV: 98%

GTOT: 7%

RAIN




1073

UV: 99%

GTOT: 16%

SHELL



1469

UV: 97%

GTOT: 16%

TITANE PIGUE




6088

UV: 95%


GTOT: 5%

PLATINUM PIGUE



U407 UV: 95% GТот: 3%

ETAIN LINK



U786 UV: 100% GТот: 1%

CELESTE LINK



U795 UV: 100% GТот: 3%

MAGMA LINK




U808 UV: 95% GТот: 13%

AVENA




2296 UV: 98% GТот: 11%

LIN MELANGE




8904 UV: 95% GТот: 11%

TWEED BROWN




0403 UV: 99% GТот: 6.82%

MINERAL




2831 UV: 99% GТот: 7%

VISION




2250 UV: 99% GТот: 7%

CHAUME PIGUE



U235 UV: 100% GТот: 9%

CAFE



2316

UV: 99%

G_{TOT}: 5%

MARBLE




0923

UV: 99%

G_{TOT}: 12.8%

TWEED LATTE




7926

UV: 98%

G_{TOT}: 15%

SNOWFLAKE




3463

UV: 95%

G_{TOT}: 22%

TWEED ARGENT




0794

UV: 98%

G_{TOT}: 19%

DARK LINEN




6727

UV: 98%

G_{TOT}: 18%

SILVER WHITE




0364

UV: 99%

G_{TOT}: 7.67%

SILVER MELANGE



0028

UV: 99%

G_{TOT}: 7.36%

TANDEM PIEDRA




8445

UV: 80%

G_{TOT}: 7%

IRON




0937

UV: 99%

G_{TOT}: 6.57%

TWEED ROCK




7151 UV: 98% ГТОТ: 11%

SILVER




2821 UV: 97% ГТОТ: 13%

SILVER GREY




U190 UV: 90% ГТОТ: 15%

ZIP GREY




1597 UV: 98% ГТОТ: 13%

PIETRA BEIGE



9415 UV: 98% ГТОТ: 8%

PERLA




2979 UV: 97% ГТОТ: 8%

ASH




0638 UV: 99% ГТОТ: 5.05%

ANTRACITA




8488 UV: 99% ГТОТ: 6%

TANDEM GRAFITO




8446 UV: 80% ГТОТ: 6%

EBONY TWEED



7324 UV: 98% ГТОТ: 10%

NEGRO




2170

UV: 99%

ГТОТ: 5%

GRAPHITE ZIP



1524

UV: 98%

ГТОТ: 12%

BASALT



8203

UV: 100%

ГТОТ: 5%

FLANELLE



U104

UV: 100%

ГТОТ: 5%

CHARCOAL TWEED




0402

UV: 99%

ГТОТ: 5%

STITCH ANDESITE




0512

UV: 98%

ГТОТ: 8%

STITCH CALCITE




0505

UV: 98%

ГТОТ: 9%

STITCH RUBY




0507

UV: 98%

ГТОТ: 9%

WHITE LINEN




8615

UV: 95%

ГТОТ: 18%

PLATINUM



0715

UV: 90%

ГТОТ: 12%

BREEZE



2777

UV: 99%

ГТот: 6%

MARINE




2145

UV: 99%

ГТот: 5%

AZUL



2018

UV: 99%

ГТот: 7%

ORANGE



2050

UV: 99%

ГТот: 13%

BRIGHT RED




2211

UV: 99%

ГТот: 10%

RIOJA




2210

UV: 99%

ГТот: 8%

CARMIN PIGUE




U411

UV: 100%

ГТот: 10%

GRANATE




2101

UV: 99%

ГТот: 6%

CURRY




U105

UV: 100%

ГТот: 12%

AMARILLO




2013

UV: 99%

ГТот: 15%

OCRE




2180

UV: 99%

ГТОТ: 13%

JADE




0396

UV: 99%

ГТОТ: 8.12%

VERDE BOTELLA



2245


UV: 99%

ГТОТ: 6%

WATERPROOF


ACRYLIC FABRICS

BLANCO




8268 UV: 97% G_{TOT}: 18%

MARFIL




8272 UV: 97% G_{TOT}: 16%

AMARILLO



8265 UV: 99% G_{TOT}: 15%

COCO




2047 UV: 99% G_{TOT}: 9%

GRIS



8271 UV: 99% G_{TOT}: 7%

ANTRACITA




2796 UV: 99% G_{TOT}: 6%

TWEED NEGRO



2085 UV: 99% G_{TOT}: 6%

NEGRO



8275 UV: 99% G_{TOT}: 5%

TOAST WATERPROF




1470

UV: 98%

G_{TOT}: 12%

TWEED GRIS WATERPROF



3581


UV: 99%

G_{TOT}: 7%

ECO WEAVE

ACRYLIC FABRICS

MALENCO




3802

UV: 96%

G_{TOT}: 4%

RITTEN



3702

UV: 96%

G_{TOT}: 6%

SECEDA



3401

UV: 96%

G_{TOT}: 7%

MARMOLADA



3101

UV: 96%

G_{TOT}: 10%

LANDSCAPE

ACRYLIC FABRICS

GOBI



4658 UV: 99% G_{TOT}: 11.32% RAPPOR: 24 cm

BEACH




4662 UV: 99% G_{TOT}: 16.37% RAPPOR: 24 cm

SAHARA DUST




4639 UV: 99% G_{TOT}: 10.18% RAPPOR: 24 cm

CLIFFS




4643 UV: 99% G_{TOT}: 6.78% RAPPOR: 24 cm

LADAKH




4655 UV: 99% G_{TOT}: 5.91% RAPPOR: 24 cm

FJORD



4644 UV: 99% G_{TOT}: 7.8% RAPPOR: 24 cm

NAMIB



4640 UV: 99% G_{TOT}: 5.04% RAPPOR: 24 cm

VULCANO




4665 UV: 99% G_{TOT}: 5% RAPPOR: 24 cm

LANDSCAPE MINI


ACRYLIC FABRICS

CLAY




4627 UV: 99% G_{TOT}: 11.3% RAPPOR: 2 cm

SAND



4620 UV: 99% G_{TOT}: 11.4% RAPPOR: 2 cm

GRAVEL



4621 UV: 99% G_{TOT}: 8.1% RAPPOR: 2 cm

ORCHESTRA


ACRYLIC FABRICS

NAPLES LINEN



D307 UV: 95% G_{TOT}: 13% RAPPORT: 20 cm

NAPLES HEATHER



D305 UV: 90% G_{TOT}: 11% RAPPORT: 20 cm

NAPLES LIGHT GREY



D304 UV: 90% G_{TOT}: 11% RAPPORT: 20 cm

NAPLES STONE




D113 UV: 95% G_{TOT}: 7% RAPPORT: 20 cm

PENCIL YELLOW



D323 UV: 95% G_{TOT}: 13% RAPPORT: 30 cm

PENCIL DARK GREY




D319 UV: 100% G_{TOT}: 8% RAPPORT: 30 cm

URBAN


ACRYLIC FABRICS

CANDLELIGHT



0990 UV: 99% G_{TOT}: 14% RAPPOR: 6 cm

CONCRETE



0993 UV: 99% G_{TOT}: 10.8% RAPPOR: 6 cm

TIMBER




0992 UV: 99% G_{TOT}: 9.6% RAPPOR: 6 cm

CLASSICAL

ACRYLIC FABRICS

CLASSICAL GRIS



2103 UV: 97% G_{TOT}: 16% RAPPORT: 20 cm

CLASSICAL AMARILLO




2015 UV: 97% G_{TOT}: 15% RAPPORT: 20 cm

CLASSICAL MOSSY TWEED



9878 UV: 98% G_{TOT}: 15% RAPPORT: 20 cm

CLASSICAL BEIGE




2275 UV: 98% G_{TOT}: 14% RAPPORT: 20 cm

CLASSICAL MARRON-BEIGE



2148 UV: 99% G_{TOT}: 9% RAPPORT: 20 cm

CLASICAL NEGRO



2171 UV: 99% G_{TOT}: 6% RAPPORT: 20 cm

FANTASY

ACRYLIC FABRICS

MILANO



3868 UV: 95% G_{TOT}: 22% RAPPORT: 30 cm

CALGARY




6712 UV: 95% G_{TOT}: 16% RAPPORT: 30 cm

SUNRISE



0180 UV: 99% G_{TOT}: 14.73% RAPPORT: 30 cm

PALERMO




3605 UV: 90% G_{TOT}: 21% RAPPORT: 17 cm

ARGENTINA




2016 UV: 98% G_{TOT}: 15% RAPPORT: 30 cm

CANBERRA



0452 UV: 98.75% G_{TOT}: 15.51% RAPPORT: 24 cm

DAKAR



2080 UV: 98% G_{TOT}: 15% RAPPORT: 40 cm

SALERNO



3861 UV: 90% G_{TOT}: 20% RAPPORT: 30 cm

ALBERTA



5106 UV: 98% G_{TOT}: 15% RAPPORT: 30 cm

MANCHESTER




2823 UV: 98% G_{TOT}: 8% RAPPORT: 24 cm

HARDELOT NATURE




8935 UV: 95% G_{TOT}: 14% RAPPORT: 30 cm

SIENNE NATURE



D100 UV: 95% G_{TOT}: 14% RAPPORT: 30 cm

TEXAS



2238 UV: 98% G_{TOT}: 13% RAPPORT: 30 cm

PERU



2201 UV: 98% G_{TOT}: 14% RAPPORT: 30 cm

ANDRIA




3881 UV: 95% G_{TOT}: 18% RAPPORT: 30 cm

MARTE




2121 UV: 99% G_{TOT}: 11% RAPPORT: 24 cm

BOLOGNA



3427 UV: 90% G_{TOT}: 22% RAPPORT: 20 cm

JAMAICA



2701 UV: 98% G_{TOT}: 14% RAPPORT: 30 cm

BRISBANE



0186 UV: 98.1% G_{TOT}: 10.26% RAPPOR: 24 cm

EDMONTON



6711 UV: 98% G_{TOT}: 13% RAPPOR: 30 cm

WINTONE



0734 UV: 97.5% G_{TOT}: 12.39% RAPPOR: 24 cm

FOGGIA




3864 UV: 95% G_{TOT}: 18% RAPPOR: 30 cm

BROKEN HILL



0497 UV: 95% G_{TOT}: 16% RAPPOR: 30 cm

NEW YORK



2174 UV: 98% G_{TOT}: 14% RAPPOR: 30 cm

METROPOLITAN



3608 UV: 99% G_{TOT}: 7% RAPPOR: 30 cm

GLADSTONE




0493 UV: 99% G_{TOT}: 7.78% RAPPOR: 24 cm

SIENNE STONE



8931 UV: 95% G_{TOT}: 13% RAPPOR: 30 cm

PLUTON




2179 UV: 99% G_{TOT}: 10% RAPPOR: 24 cm

RAVENNA




3882 UV: 95% ГТОТ: 18% RAPPORT: 30 cm

FIRENZE



3889 UV: 90% ГТОТ: 20% RAPPORT: 30 cm

MELBOURNE



0054 UV: 99% ГТОТ: 11.74% RAPPORT: 24 cm

ORLANDO



2191 UV: 98% ГТОТ: 11% RAPPORT: 30 cm

CANADA



2061 UV: 99% ГТОТ: 8% RAPPORT: 30 cm


PADOVA



3875 UV: 95% ГТОТ: 17% RAPPORT: 30 cm

FABRIC RAPPORT

ACRYLIC FABRICS



Multiply repeated pattern of fabric, expressed in cm and given in the chart.